STATEMENT OF WORK (SOW)

for the
Inspection and Repair Only As Necessary (IROAN)
of the
AN/TPS-59(V)3 Frequency Multiplier
NSN 5998-01-279-6409

- 1.0 SCOPE. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor to IROAN the AN/TPS-59(V)3 Frequency Multiplier, NSN 5998-01-279-6409, part number 725016A1017G2, CAGE 03538 (hereafter referred to as "Frequency Multiplier"). This document contains requirements to restore the Frequency Multiplier to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplements thereto which are in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.

2.1 Military Standards

MIL-STD-2073-ID DoD Standard Practice for Military Packaging

MIL-STD-129 DoD Standard Practice for Military Marking

2.2 Other Government Documents and Publications

Engineering Drawing Multiplier, Freq.

725016A1017, CAGE 87990

Engineering Drawing Multiplier, Freq. (Parts List)

725016A1017-G2, CAGE 87990

Engineering Drawing Test Requirements, Multiplier Frequency (X4)

77A100092, CAGE 03538

DOD 4000.25-1-M Military Standard Requisitioning and Issue

Procedures (MILSTRIP)

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASQC Q9001-2000 Quality Management Systems-Requirements

JESD625-A Requirements for Handling Electrostatic-Discharge

Sensitive (ESDS) Devices

Industry Standards (For Guidance)

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from: Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

3.0 REQUIREMENTS

- 3.1 The Contractor shall repair the Frequency Multiplier strictly in accordance with the requirements as specified in Engineering Drawing 725016A1017 and Parts List 725016A1017-G2, CAGE 87990. Testing shall be conducted in accordance with Test Requirements 77A100092, CAGE 03538 and the test results shall be documented in a Test Data Report (TDR). The Contractor shall be responsible for all parts, materials, labor, facilities, tools, and test equipment necessary to IROAN the equipment in accordance with this SOW.
- 3.2 Packaging, Handling, Storage and Transportation (PHS&T)
- 3.2.1 The Contractor shall be responsible for preservation and packaging of item(s) being repaired under the terms of this Statement of Work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the Level "A" requirements of

MIL-STD-2073-1D, Appendix J, Table J.Ia, Specialized Preservation Code "GX" and shall be packed into a reusable fast-pack container. Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with Level "B" requirements and shall be packed into a reusable fast-pack container.

NOTE: Level "A" preservation and packaging shall normally be required due to the anticipated long-term storage requirements. Exceptions: Items that have a confirmed immediate use will be identified in writing by the Logistics Management Specialist (LMS), Marine Corps Systems Command (MCSC), Battlespace Management and Air Defense Systems (BMADS), Albany, Georgia.

- 3.2.2 Marking for shipment and storage shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the designated site(s). The Marine Corps will be responsible for all transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The Contractor shall apply configuration control procedures to established configuration items. The Contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal (ECP). If it is necessary to temporarily depart from the authorized configuration, the Contractor shall prepare and submit a Request for Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing these configuration control documents.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 571-1) will coordinate GFE/GFM requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE Accountability Agreement to the Contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The Contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD1348 to Materiel Management Department, Management Control Activity (Code 571-1), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320, or by faxing a copy to commercial telephone number (229) 639-5498 or DSN 567-5498.
- 3.5 Contractor Furnished Materiel (CFM). The Contractor may requisition materiel as required in the performance of the SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11, provides guidance to contractors on the requisitioning process. The Contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.
- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>. The Contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD

3

protective measures shall be used during manufacturing, handling, inspection, testing, marking, packaging, storing and transporting ESD sensitive components.

- 3.7 <u>Quality Assurance Provisions</u>. The Contractor shall establish and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9001-2000, Quality Management Systems-Requirements.
- 4.0 <u>REPORTS</u>. The Contractor shall develop a Test Data Report (TDR), in Contractor format, which references this SOW, the NSN, part number, and serial number of the Frequency Multiplier. The TDR shall reference the specific paragraph of Test Specification 77A100092, CAGE 03538, for all "Performance Requirements" (i.e. the allowable parameters, and quantitative test results). Upon request, the Contractor shall submit a copy of the TDR electronically (preferred), via regular mail, or facsimile to the Logistics Management Specialist (LMS), MCSC, BMADS, Albany, Georgia. The electronic address is: <u>SMBmatcombmads@matcom.usmc.mil</u>. The mailing address is: Commander, Marine Corps Systems Command, Attn: Logistics Management Specialist, BMADS, 814 Radford Blvd., Suite 20343, Albany, GA 31704-0343. The LMS can be reached at commercial telephone number (229) 639-5036 or DSN 567-5036. Facsimiles may be sent to commercial telephone number (229) 639-6545 or DSN 567-6545, Attn: Logistics Management Specialist, BMADS.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public exporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government issuing Contracting Officer for the Contract/PR No. Histed in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT		C. CATEGORY: TOP TM OTHER						
			1	TDP TM	OTHER					
D. SYSTEM/ITEM AN/TPS-59(V)3 Frequency Multiplier			E. CONTRACT/PR NO. F.		F. CONTRA	ACTOR				
I, DATA ITEM NO.	2. TITLE OF DATA ITEM	intiplier			3, SUBTITLE	<u>.</u>				
A001 Engineering Ch			ange Proposal	ange Proposal (ECP)			mageme	nt		
4. AUTHORITY (Osts Acquis			5. CONTRACT REFEREN		1	6. REQUIRING OFFICE				
	CMAN-80639C			SOW 3.3		MCLB	A (583)	1		
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENC		12. DATE OF FIRST SUBMISSION		14. DISTRIBUTION				
LT 8. APP CODE	-	11. AS OF DA	ASREQ	See Blk 1	b 			b. COPIES		
A	A	II. AS UF DA	16	SUBMISSION		a. ADDRESSEE	Oraft	Fir		
16. REMARKS	<u>L</u>	<u> </u>				MCLBA (583-1)	0	Reg 1	Repro	
Blk 4 - Contrac	ctor format submi	tted in .p	df or .doc for	mat is authorized.		MCLBA (363-1)	 	<u>_</u>		
Blks 10 & 12 -	ECPs shall be suffect the baseline of	bmitted f	or all propose	d changes which						
				in 30 calendar day	/s upon					
						-	-			
Block 14: ECP mbmatcomcon	s shall be transmi figmngmnt@matc	tted via l om.usmc	E-Mail to the factorial	following address:						
	atement A: Appro						+			
Unlimited.				, 2 121110 001012 ==			+ · ·			
							1			
									,	
							_	ļ <u> </u>		
							+			
							1			
									$\vdash \vdash$	
						-	 		ł	
							ļ	<u> </u>		
								 	<u> </u>	
						15. TOTAL	• 0	1	0	
G. PREPARED BY			H. DATE	I. APPROVED B	Υ 🖊	, //	J. DAT	<u> </u>		
Diani-	PBNING	1/2		Theat	W.	Tangli.		APR O	3	
DD FORM 1423.	1, AUG 98 (EG)		PF	REVIOUS EDITION MAY BE	USED.	0	Page	of	Page:	

7. PRICE GROUP 8. ESTIMATED TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the hunden, to Department of Defense, Washington Headquarters Services, Directorate to Information Department of Defense, Washington of Law, no person shall be subject to any penalty for falling to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Issled in Block E.

N/TPS-59(V)3 Frequency Mulitplier A 1 Tem No. 2. Title of data item 3. Subtitle 2. Title of data item 3. Subtitle 3. Subtitle 3. Subtitle 3. Subtitle 4. O.	. CONTRACT LINE IT	TEM NO.	B. EXHIBIT	Т	C. CATEGORY:							1
ATTEM NO. 2. TITLE OF DATA ITEM 2. SUBTITLE AO 0 2 Request For Deviation Configuration Management AO 0 2 Request For Deviation Configuration Management BORLY (Data Acquisition Document No.) S. CONTRACT REFERENCE SOW 3.3 MCLBA (583) SED REQ S. DIST STATEMENT 10. FREQUENCY 12. DATE OF FIRST SUBMISSION ASREQ See Blk 16 CODIE A A DISTRIBUTION ANABRES A A DISTRIBUTION ANABRES A A DISTRIBUTION BARKS A A DISTRIBUTION A - Contractor format submitted in .pdf or .doc format is authorized. MCLBA (583-1) O 1 O S 10 & 12 - RFDs shall be submitted to obtain authorization to deliver conforming material which does not meet prescribed configuration umentation. Ds will be reviewed and disposition determined within 30 calendar days upon eith by the Government. ck 14: RFDs shall be transmitted via E-Mail to the following address: matcomconfigmngmnt@matcom.usmc.mil								X				
ACTION NO. 2. THE OF DATA HEM AO 0 2 Request For Deviation Configuration Management Configuration Configuration Management Configuration Management Configuration Configuration Management Configuration Management Configuration Configuratio	. SYSTEM/ITEM AN/TPS-59(V	/)3 Frequency M	fulitalier	E. CONTRACT/PR	NO.	F. CONTRA	ACTOR					:
A 0 0 2 Request For Deviation Configuration Management FIGURITY (Date Acquestion Decement No.) DI-CMAN-80640C SOW 3.3 Solist Statement A A						4 CHDTITLE						47. ****
S. CONTRACT REFERENCE SOW 3.3 S. DIST STATEMENT SOFT STATEMENT SOFT STATEMENT SOFT STATEMENT SUBMISSION SOFT SUBMISS	MINITERNIO.	2. IIILE UP DATA IIEM				1. SUBILITE						17. PRICE
S. CONTRACT REFERENCE SOW 3.3 S. DIST STATEMENT SOFT STATEMENT SOFT STATEMENT SOFT STATEMENT SUBMISSION SOFT SUBMISS	A002	0.0.2 Request For Deviation					Configuration Management					
DI-CMAN-80640C SOW 3.3 MCLBA (583) II. AS OF DATE A A MARKS 4 - Contractor format submitted in .pdf or .doc format is authorized. Sow 3.3 MCLBA (583) II. AS OF DATE II. AS OF DATE II. AS OF DATE III. AS OF DATE III						ingement			18. ESTIN			
A SREQ See Blk 16 11. AS OF DATE 13. DATE OF FIRST SUBMISSION See Blk 16 11. AS OF DATE 13. DATE OF SUBSEQUENT SUBMISSION 14. DISTRIBUTION A A SREQ See Blk 16 11. AS OF DATE 13. DATE OF SUBSEQUENT SUBMISSION 14. DISTRIBUTION A A DISTRIBUTION 14. DISTRIBUTION 15. COPIES 16. Prinal Reg Repro Regro Repro Regro Repro Regro Repro Regro Repro Regro Regro Regro Repro Regro Repro Regro Regro									A (583))		TOTAL
A A A STREQ See Blk 16 11. AS OF DATE 13. DATE OF SUBSEQUENT SUBMISSION MARKS 4 - Contractor format submitted in .pdf or .doc format is authorized. 12. State of Subsequent Submission MCLBA (583-1) MCLBA (583-1) MCLBA (583-1) MCLBA (583-1) MCLBA (583-1) O 1 0 State of Subsequent Submission Not			10. FREQUEN									
TODE A A 11. AS OF DATE 13. DATE OF SUBSEQUENT SUBMISSION 13. DATE OF SUBSEQUENT SUBMISSION 13. DATE OF SUBSEQUENT SUBMISSION 14. Contractor format submitted in .pdf or .doc format is authorized. 15. In the submitted in .pdf or .doc format is authorized. 16. A DORESSEE 17. A DORESSEE 18. A DORESSEE 18. A DORESSEE 19. A Repro Repro Repro MCLBA (583-1) 10. 1 10. A DORESSEE 11. AS OF DATE Req. Repro	LT	REQUIRED	_ A	ASREQ	See Blk 1	6	<u> </u>	DIOT INDOTTOR	1	h CODIES		
A A Submission Draft Reg Repro MARKS 4 - Contractor format submitted in .pdf or .doc format is authorized. s 10 & 12 - RFDs shall be submitted to obtain authorization to deliver conforming material which does not meet prescribed configuration umentation. Ds will be reviewed and disposition determined within 30 calendar days upon eipt by the Government. ck 14: RFDs shall be transmitted via E-Mail to the following address: matcomconfigmngmnt@matcom.usmc.mil	APP CODE						a. ADDRESSEE	a ADDRESSEE				Ь
4 - Contractor format submitted in .pdf or .doc format is authorized. s 10 & 12 - RFDs shall be submitted to obtain authorization to deliver conforming material which does not meet prescribed configuration umentation. Ds will be reviewed and disposition determined within 30 calendar days upon eipt by the Government. ck 14: RFDs shall be transmitted via E-Mail to the following address: matcomconfigmngmnt@matcom.usmc.mil	Α	Α			SUBMISSION				Draft			
s 10 & 12 - RFDs shall be submitted to obtain authorization to deliver conforming material which does not meet prescribed configuration umentation. Ds will be reviewed and disposition determined within 30 calendar days upon eipt by the Government. ck 14: RFDs shall be transmitted via E-Mail to the following address: matcomconfigmngmnt@matcom.usmc.mil	J. REMARKS		1	16 1 6			MCL	BA (583-1)	0			
Ds will be reviewed and disposition determined within 30 calendar days upon eipt by the Government. ck 14: RFDs shall be transmitted via E-Mail to the following address: matcomconfigmngmnt@matcom.usmc.mil	ik 4 - Contrac	ctor format subm	utted in .p	of or loc for	mat is authorized.			200 1)	├	<u> </u>	╁─┤	
Ds will be reviewed and disposition determined within 30 calendar days upon eipt by the Government. ck 14: RFDs shall be transmitted via E-Mail to the following address: matcomconfigmngmnt@matcom.usmc.mil	lks 10 & 12 -	RFDs shall be s	ubmitted t	to obtain autho	orization to deliver	7			1			
Ds will be reviewed and disposition determined within 30 calendar days upon eipt by the Government. ck 14: RFDs shall be transmitted via E-Mail to the following address: matcomconfigmngmnt@matcom.usmc.mil	ocumentation	material which	does not r	neet prescribe	a configuration			.				
ck 14: RFDs shall be transmitted via E-Mail to the following address: matcomconfigmngmnt@matcom.usmc.mil										r	† 1	
ck 14: RFDs shall be transmitted via E-Mail to the following address: matcomconfigmngmnt@matcom.usmc.mil	eceipt by the C	eviewed and dist Sovernment.	position de	eterninea with	um 30 calendar da	ys upon			1		\sqcap	l
									1			
	nbmatcomconf	figmngmnt@mat	com.usmo	c.mil	ronowing address	•						'
imited.		= =										
	Inlimited.	шешен <i>А.</i> Аррі	J-54 101 1	Labric Release	, Distribution is							
								1-1-	ļ			
												l .
									ļ			1:
									_			
									 	ļ		.
									↓	<u> </u>		
									1			
									ļ			.
								<u> </u>	ļ	L		ļ :
									1	ļ		ļ [‡]
									1			
									-	<u> </u>		
							<u> </u>		+-	 	 	
									 _	ļ	ļI	
												
									 	 	 	
							-		-	<u> </u>	├ ─┤	
									-	 		
							}	<u></u>	+	₩	\vdash	
									 	 	\vdash	
									+	 	\vdash	
									+	 	┼─┤	
							<u> </u>		-	 	├ ─┤	
i i i i i							-			_		
							45 5000		1		 	
15. TOTAL 0 1 DATE	DDEMADED BY			U DATE	1 Approver	<u> </u>	15. TOTAL				0	
APR 28 2003 Let V. Junglin 30 APR 03	i. PREMARED BY	P BAM		APR 28	3 2003 K]. Ju	mylii			3	
FORM 1423-1, AUG 96 (EG) PREVIOUS EDITION MAY BE USED. Page of Pages	D FORM 1423	1. AUG 96 (FG)	~7			USED.			Page	ρf	Pages	} i